

Product information

PI 33/29/04/2020



Radiator Cleaner

Description

Cleaner specifically developed for use in automotive cooling systems but may be used in a various other industries. Dissolves oil and lime scale deposits in radiators, heater cores, coolant pipes, blocks and cylinder heads. Modern formulation consisting of complex and active cleaning agents.

Properties

- does not contain acids or alkalis
- removes sludge
- removes oil and grease residues
- removes scale
- neutralizes acids
- neutral behavior in contact with rubber and plastics
- compatible with antifreezes

Technical data

Form	flüssig / liquid
Color / appearance	weiß, leicht trüb / white, light unclear
Hazard class as per German VbF	keine / none
pH value	~8,7
Solubility in water	löslich / soluble
Odor	charakteristisch / characteristic
Density at 68 °F	1,015 g/cm ³

Areas of application

Suitable for all cooling water systems in motor vehicles, buses and commercial vehicles.

Application

Add contents to the cooling water. Turn the heating to maximum and let the engine run on idle for 10 - 30 minutes depending on the degree of contamination. Drain the coolant and flush the cooling system with water. Fill the cooling system according to the manufacturers instructions. The content is sufficient for 10 liters (2.6 gal.) of water, a minimum of 4 liters (1 gal.) is required for optimum product performance.

Comment

 **WARNING:** Cancer- www.P65Warnings.ca.gov



Available pack sizes

300 ml Can sheet metal	2051 USA (-EN-)
300 ml Can sheet metal	20336 CANADA (-EN-F-)

Our information is based on thorough research and may be considered reliable, although not legally binding.